ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN r.7

2004:189061 HCAPLUS ACCESSION NUMBER:

DOCUMENT NUMBER:

141:73263

ENTRY DATE:

Entered STN: 09 Mar 2004

TITLE:

Biphasic selective epoxidation of styrene by

t-butyl hydroperoxide to styrene oxide using potassium

chromate or dichromate catalyst in aqueous medium

AUTHOR (S): Choudhary, Vasant. R.; Patil, Nilesh

s.; Chaudhari, Nitin K.; Bhargava, Suresh K.

CORPORATE SOURCE: Chemical Engineering and Process development Division,

National Chemical Laboratory, Pune, 411008, India

SOURCE:

Catalysis Communications (2004), 5(4), 205-208

CODEN: CCAOAC; ISSN: 1566-7367

PUBLISHER:

Elsevier Science B.V.

CASREACT 141:73263

DOCUMENT TYPE:

Journal

LANGUAGE:

English

CLASSIFICATION:

45-4 (Industrial Organic Chemicals, Leather, Fats, and

Waxes)

Section cross-reference(s): 67

OTHER SOURCE(S):

ABSTRACT:

Styrene oxide with high selectivity (>60%) at high conversion (>50%) was produced by biphasic epoxidn. of styrene by t-Bu hydroperoxide, using potassium chromate or potassium dichromate as catalyst in the presence of

water. The reactants and products exist in the non-aqueous (organic) phase, while

the

catalyst exists in the aqueous phase, and is easily recovered. Both potassium chromate and potassium dichromate catalysts show high activity in the ***biphasic*** epoxidn., however, the preferable catalyst is potassium chromate.

SUPPL. TERM:

styrene epoxidn tertbutyl hydroperoxide potassium chromate

catalyst ag medium

INDEX TERM:

Epoxidation catalysts

(aqueous biphasic selective epoxidn. of styrene by t-Bu hydroperoxide to styrene oxide using potassium chromate or potassium dichromate recoverable catalyst)

INDEX TERM:

96-09-3P, Styrene oxide

ROLE: IMF (Industrial manufacture); PREP (Preparation) (aqueous biphasic selective epoxidn. of styrene by t-Bu hydroperoxide to styrene oxide using potassium chromate or potassium dichromate recoverable catalyst)

INDEX TERM:

75-91-2, tert-Butyl hydroperoxide 100-42-5

, Styrene, reactions

ROLE: RCT (Reactant); RACT (Reactant or reagent) (aqueous biphasic selective epoxidn. of styrene by t-Bu hydroperoxide to styrene oxide using potassium chromate or potassium dichromate recoverable catalyst)

INDEX TERM:

7778-50-9, Potassium dichromate 7789-00-6,

Potassium chromate

ROLE: CAT (Catalyst use); USES (Uses)

(epoxidn. catalyst; aqueous biphasic selective epoxidn. of styrene by t-Bu hydroperoxide to styrene oxide using potassium chromate or potassium dichromate

recoverable catalyst)

REFERENCE COUNT:

THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS

RECORD.

16

```
REFERENCE(S):
```

- (1) Anon; Aqueous-Phase Organometallic Catalysis 1998
- (2) Arends, I; Appl Catal A: Gen 2001, V212, P175 HCAPLUS
- (3) Choudhary, V; Catal Lett 2003, V89, P55 HCAPLUS
- (4) Coperet, C; Chem Commun 1997, P1565 HCAPLUS
- (5) Fu, Z; Micropor Meso Mater 1999, V29, P351 HCAPLUS
- (6) Hage, R; Nature (London) 1994, V369, P637 HCAPLUS
- (7) Koner, S; J Mol Catal A 1999, V150, P295 HCAPLUS(8) Kumar, S; J Catal 1995, V156, P163 HCAPLUS
- (9) Kuznetsova, N; J Mol Catal A 1996, V108, P135 HCAPLUS
- (10) Laha, S; J Catal 2001, V204, P64 HCAPLUS
- (11) Lutz, J; Kirk-OthmerEncyclopedia of Chemical Technology, third ed 1980, V9, P251 HCAPLUS
- (12) Sotelo, J; Chem Commun 1999, P549 HCAPLUS
- (13) Srinivas, N; J Mol Catal A 2001, V179, P175
- (14) Swern, D; Organic Peroxides 1971, V2 HCAPLUS
- (15) Van Grieken, R; Catal Today 2000, V61, P49 HCAPLUS
- (16) Yang, Q; Appl Catal A 2000, V194-195, P507 HCAPLUS
- 96-09-3P, Styrene oxide IT

RL: IMF (Industrial manufacture); PREP (Preparation) (aqueous biphasic selective epoxidn. of styrene by t-Bu hydroperoxide to styrene oxide using potassium chromate or potassium dichromate recoverable catalyst)

- RN 96-09-3 HCAPLUS
- Oxirane, phenyl- (9CI) (CA INDEX NAME) CN



IT 75-91-2, tert-Butyl hydroperoxide 100-42-5, Styrene, reactions

RL: RCT (Reactant); RACT (Reactant or reagent) (aqueous biphasic selective epoxidn. of styrene by t-Bu hydroperoxide to styrene oxide using potassium chromate or potassium dichromate recoverable catalyst)

- 75-91-2 HCAPLUS RN
- Hydroperoxide, 1,1-dimethylethyl (9CI) (CA INDEX NAME) CN

HO- O- Bu-t

100-42-5 HCAPLUS RN

Benzene, ethenyl- (9CI) (CA INDEX NAME)

 $H_2C = CH - Ph$

7778-50-9, Potassium dichromate 7789-00-6, Potassium IT chromate

RL: CAT (Catalyst use); USES (Uses)

(epoxidn. catalyst; aqueous biphasic selective epoxidn. of styrene by t-Bu hydroperoxide to styrene oxide using potassium chromate or potassium dichromate recoverable catalyst)

RN 7778-50-9 HCAPLUS CN Chromic acid (H2Cr2O7), dipotassium salt (9CI) (CA INDEX NAME)

●2 K

RN 7789-00-6 HCAPLUS
CN Chromic acid (H2CrO4), dipotassium salt (8CI, 9CI) (CA INDEX NAME)

●2 K